


ORBIT


Design: Nital Patel & Ronni Gol




*Rose gold for indoor use only



ORBIT MINI UP-DOWN



ORBIT W1 UP-DOWN



ORBIT W2 UP-DOWN

ORBIT - 2700 K

Design: Nital Patel & Ronni Gol

LIGHT·POINT
C O P E N H A G E N

ART. NAME	ORBIT MINI U/D	ORBIT W1 U/D	ORBIT W2 U/D
Art. no. white	270570	270580	270590
Art. no. black	270571	270581	270591
Art. no. rose gold	270572	270582	270592
EAN white	5711389705701	5711389705800	5711389705909
EAN black	5711389705718	5711389705817	5711389705916
EAN rose gold	5711389705725	5711389705824	5711389705923
Material	Aluminium / Glass	Aluminium / Glass	Aluminium / Glass
Light source	Lumens	Lumens	Lumens
Lifetime	50.000	50.000	50.000
Number of light sources	2	2	2
Electronical gear	N/A	N/A	N/A
Driver watt	N/A	N/A	N/A
Light source watt	4	8	12
System watt	8	16	24
Voltage	230V	230V	230V
Dimmable	Leading/trailing Edge	Leading/trailing Edge	Leading/trailing Edge
Lumen output	720 (Nominal)	1440 (Nominal)	2160 (Nominal)
Lumen pr. watt	90	90	90
Flux	N/A	N/A	N/A
CCT (K)	2700	2700	2700
RA/CRI	>90	>90	>90
Mac Adam	3	3	3
Light distribution	N/A	N/A	N/A
Beam angle	N/A	N/A	N/A
Tilt angle	N/A	N/A	N/A
Cutout mm.	N/A	N/A	N/A
Rotation	N/A	N/A	N/A
Looping	Yes	Yes	Yes

Updated 20th of April 2021

ORBIT - 3000 K

Design: Nital Patel & Ronni Gol

LIGHT·POINT
C O P E N H A G E N

ART. NAME	ORBIT MINI U/D	ORBIT W1 U/D	ORBIT W2 U/D
Art. no. white	268310	268320	268330
Art. no. black	268311	268321	268331
EAN white	5711389683108	5711389683207	5711389683306
EAN black	5711389683115	5711389683214	5711389683313
Material	Aluminium / Glass	Aluminium / Glass	Aluminium / Glass
Light source	Lumens	Lumens	Lumens
Lifetime	50.000	50.000	50.000
Number of light sources	2	2	2
Electronical gear	N/A	N/A	N/A
Driver watt	N/A	N/A	N/A
Light source watt	4	8	12
System watt	8	16	24
Voltage	230V	230V	230V
Dimmable	Leading/trailing Edge	Leading/trailing Edge	Leading/trailing Edge
Lumen output	720 (Nominal)	1440 (Nominal)	2160 (Nominal)
Lumen pr. watt	90	90	90
Flux	N/A	N/A	N/A
CCT (K)	3000	3000	3000
RA/CRI	>90	>90	>90
Mac Adam	3	3	3
Light distribution	N/A	N/A	N/A
Beam angle	N/A	N/A	N/A
Tilt angle	N/A	N/A	N/A
Cutout mm.	N/A	N/A	N/A
Rotation	N/A	N/A	N/A
Looping	Yes	Yes	Yes